

TECHNICAL SPECIFICATION SHEET

SINGLE LAYER, FR LONG COAT - ARC2030/10

Garment conforms to:	<p>Flame retardant, anti-static, single layer long coat made from durable 220gsm fabric giving protection against the thermal effects of an electric arc.</p> <p>IEC61482-1-1 (open arc) ATPV = 9.4cal/cm². IEC61482-1-1 (2.0) ELIM 8.6cal/cm². IEC61482-1-2:2007 (arc in a box) Class 1 = 4kA IEC61482-2:2020 ISO11612:2015 (A1,B1,C1) Protection against heat and flame. EN1149-5:2018 Discharges of static electricity.</p>
Garment standard description:	<p>Single layer long coat with high neck, non-metallic zip with Velcro fastened placket, lower hip pockets with Velcro fastened flaps. Knitted cuffs to sleeves.</p> <p>Additions: Two rows of yellow and silver tape over shoulders and around arms one row around the hem. D ring to left and right chest below tape.</p>
Sizes:	Sizes – S, M, L and XL. Other sizes upon request.
Labels:	CE & UKCA to IEC 61482-2:2020, ENISO11612:2015, EN1149-5:2018.
Fabric:	56% Meta-aramid, 42% Para-aramid, 2% antistatic fibre, woven fabric, 220 gsm, with rip stop grid.
Colour:	Black
Conforms to:	<p>EN ISO11612:2015 A1, B1, C1, EN 1149-3:2004 IEC61482-1-1:2009 (open arc) ATPV = 9.4cal/cm² IEC61482-1-1 (2.0) ELIM 8.6cal/cm² IEC 61482-1-2:2007 (arc in a box) Class 1 (4KA)</p>
Sewing thread:	100% meta aramid.

For and on behalf of
DALE TECHNICHE LIMITED

D Emmott

Operations Manager.