

## TECHNICAL SPECIFICATION SHEET

### SINGLE LAYER HI VIS COVERALL – ARC1001/30/HV

Garment conforms to:	Flame retardant, antistatic single layer hi vis coverall made from Teflon coated durable 250gsm fabric giving protection against the thermal effects of an electric arc. (IEC61482-1-1:2009) Open arc ATPV = 10.5 cal/cm <sup>2</sup> (IEC61482-1-2:2007) Arc in a box (IEC61482-2:2009) (ISO11612:2015) A1, B1, C1. Protection against heat and flame. (EN1149-5:2008) Discharges of static electricity. (EN13034:2005) Type 6 low chemical protection. (EN20471:2013) High visibility warning clothing class 3
Garment standard description:	Flame Retardant Antistatic single layer coverall made from durable 250 gsm fabric.  The garment features a high collar, action pleated back, elasticated waist, covered main zip, external pockets, stretch cuffs and zip fastenings to leg bottoms, radio loops and non-metallic zips throughout.  Available with reflective tape meeting EN20471:2013 class 3.  Machine washable.
Sizes:	S to 2XL. Leg lengths Short, Regular, Tall & Extra Tall. Made to measure upon request.
Labels:	CE & UKCA to IEC61482-2:2009, EN ISO11612:2015, EN1149-5:2008, EN13034:2005 EN20471:2013
Fabric:	65% FR viscose, 22% Meta-Aramid, 12% PA, 1% Antistatic Teflon Coated
Colour:	Hi Vis Yellow & Navy Blue
Fabric conforms to:	EN ISO11612:2015 A1, B1, C1, EN 1149-3:2004 IEC61482-1-1:2009 (open arc) ATPV = 10.5 cal/cm <sup>2</sup> IEC 61482-1-2:2007 (arc in a box) Class 1 (4KA) EN13034:2005 Type 6. EN20471:2013
Sewing thread:	100% Meta Aramid.

For and on behalf of  
**DALE TECHNICHE LIMITED**

**D Emmott**

Operations Manager.



Certificate number 2322/00